

LA-UR-21-23319

Approved for public release; distribution is unlimited.

Title: Beta Emission & Bremsstrahlung

Author(s): Stults, Katrina Ann
Karpus, Peter Joseph

Intended for: Presentation for Spectroscopic Alarm Adjudication Course

Issued: 2021-04-07

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.



Beta Emission & Bremsstrahlung

Pete Karpius & Katrina Stults

April 2021

LA-UR-21-XXXXX
Derived from LA-UR-17-30388

Introduction

- What is beta decay?
- What is bremsstrahlung?
- Why do we care in a gamma-ray spectroscopy class?




What is beta decay?



1. The death of a Siamese fighting fish?

2. The Rise of VHS?



3. Something completely different?




Beta Decay

- When a nucleus has too many protons or neutrons it may undergo **beta decay**
 - Too many neutrons $\rightarrow \beta^-$ decay
 - Too many protons $\rightarrow \beta^+$ decay
- β^+ particles
 - are the same as positrons
 - quickly undergo pair annihilation
- β^- particles
 - are identical to electrons but originate in the nucleus
 - radiate a continuous range of photons as they decelerate in various media



Beta Decay example- Tritium decaying to He-3



$E = mc^2 \rightarrow$
Mass-Energy difference of ${}^3\text{H}$ and ${}^3\text{He}$ in MeV*:
 $2809.449895 - 2809.431302 = 0.018593$

This is the “endpoint energy of the emitted β particle”

* atomic masses



- $\bar{\nu}$ The other particle given off, an anti-neutrino. It is undetectable by typical radiation/search detectors.

“Pure” β Emitters

Isotope	T _{1/2}	Mode	Q-value (End Point Energy)
H-3	12.3 y	β^-	18.591 keV (Branch: 100%)
Ni-63	100.1 y	β^-	66.945 keV (Branch: 100%)
C-14	5730 y	β^-	156.47 keV (Branch: 100%)
P-33	25.3 d	β^-	248.5 keV (Branch: 100%)
Tc-99	211,000 y	β^-	293.7 keV (Branch: 100%) Weak gamma
Sr-90	28.79 y	β^-	546.0 keV (Branch: 100%) Contains Y-90
Cl-36	301,000 y	β^- $\epsilon + \beta^+$	708.6 keV (Branch: 98.1%) 120.1 keV (Branch: 0.01%)
F-18	109.77 m	β^+	633.5 keV (Branch: 96.7%)
Tl-204	3.78 y	β^- ϵ	763.72 keV (Branch: 97.1%) 347.5 keV (Branch: 2.9%)
P-32	14.3 d	β^-	1710.7 keV (Branch: 100%)
O-15	122.2 s	$\epsilon + \beta^+$	1732.0 keV (Branch: 99.9%)
C-11	20.4 m	$\epsilon + \beta^+$	1982.5 keV (Branch: 99.8%) 960.5 keV (Branch: 0.24%)
N-13	9.96 m	$\epsilon + \beta^+$	2220.4 keV (Branch: 100%)
Y-90	64.00 h	β^-	2280.1 keV (Branch: 100%) Weak gammas



Question Time

- What industrial and medical isotopes are you familiar with are beta emitters?
- Enter answers in chat




What is Bremsstrahlung or “Braking Radiation”?


When a free charged particle enters the influence of another charged particle, it is deflected, like a comet passing the sun.

The charged particle is slowed and radiates photons.

The emitted photons are in a continuous range of energies (up until some maximum or “endpoint”).




Idealized β^- Spectrum




Question Time

What properties of the **charged particle** impact the bremsstrahlung?


What properties of the **material** the particle is passing through impact the bremsstrahlung?




TI-204 Bremsstrahlung (Identifinder w Cs-137 seed)



TI-204 Bremsstrahlung (Identifinder w Cs-137 seed)




$^{90}\text{Sr} / ^{90}\text{Y}$ Level Scheme




^{90}Sr is a pure beta emitter that decays to ^{90}Y , which itself is a nearly pure beta emitter that comes to secular equilibrium with ^{90}Sr in just over two weeks.




Bremsstrahlung Sr/Y-90 (Identifinder w Cs-137 seed)




Bremsstrahlung Sr/Y-90 (Identifinder w Cs-137 seed)



Bremsstrahlung Sr/Y-90 (Detective X)



Bremsstrahlung Sr/Y-90 (Detective X)



Question Time

- What is sometimes the most definitive answer you can give about a spectrum containing a beta emitter?
- A) High confidence isotope ID with activity estimate from end point energy
- B) beta emitter present
- C) nothing, need longer count time



Summary

- Bremsstrahlung is continuous radiation produced by beta particles decelerating in matter
- Different beta emitters have different endpoint energies
- High-energy betas interacting with high-Z materials will more likely produce bremsstrahlung
- Depending on the data, sometimes all you can say is that a beta emitter is present

